

# HERO

NOBLESTRENGTH  
EVOLVEDTECHNOLOGY



# HERO

NOBLESTRENGTH  
EVOLVEDTECHNOLOGY



- **top vandal-proof**
- **maximum accessibility**
- **innovative performances**

HERO, the innovative vandal-proof door panel offers **the top in terms of technological performance and security**, using top-level materials and finishes, offering excellent solutions for **big complexes**, in line with regulations regarding **accessibility** for disabled people.

**Hero** is a combination of **vandal-proofing**, the best ergonomics and the top of performances. By touching it you can feel robustness and elegance at the same time. It is cold, modern and reliable: **Hero will charm you.**

## TD2000HE

Size: mm 205x500x2

**Video outdoor station**, equipped with a wide-angle camera, 14 keys, system-status icons and graphic display. It is possible to add a proximity reader. In terms of accessibility for disabled people, it has many characteristics to offer, including speech synthesis.

## characteristics

→ **size:** 205 x 500 mm. Depth of the in-wall box (included): 61 mm. Thickness of the plate 2 mm

→ **material:** 316L stainless steel plate and keys (marine grade steel), lexan cover glasses, for the maximum of robustness and resistance


→ **Torx** security screws (6)

→ **flush**-mounting

→ designed for **DUO system with bus power supply**

→ **digital keyboard** made up of 14 stainless steel keys:

- > squared, 25mm wide each
- > backlit with white light
- > the outline of the keys is backlit with a yellow light, for a better identification by visually impaired users
- > each key is equipped with Braille
- > 10 keys to enter a code
- > 2 search keys
- > send call key
- > delete key



→ wide **graphic display, backlit** with white light, for a better reading in case of low-light conditions

→ **backlit status-icons**, to immediately understand the system or ongoing call status:

- > ongoing call
- > active conversation
- > open door
- > busy system or nonexistent code



→ **speech synthesis** for audio indication about call or system status (available in several languages, it can be disabled by programming)

→ **wide-angle camera** that allows a correct view of every user's category, for more security

→ 2 independent outputs, 1 x electric lock (13Vac, 1A), 1 with a relay for automatic gate or other lock types. It can control up to 4 remote relays

→ Mechanical set up for any **proximity reader** mounting. By integrating XE2922, the access control can be associated to time slots

→ serial integration of inductive loops for pairing with **hearing aids for hearing impaired**

→ up to 500 users and their personal passwords can be stored in the outdoor station

→ it can be programmed via Bluetooth, with the Duo System app for iOS and Android (XE2922 is integrated) or by using the digital keyboard of the device

→ thanks to the integration to XE2922 that can be installed, Hero is compatible with **Farfisa Smart Access** and **Farfisa Smart Dial** applications, for a contactless management of the accesses.



**NO TOUCH.  
NO COVID19.**



**ACI srl** Via Ezio Vanoni, 3 · 60027 Osimo (An) · ITALY  
T +39 071.7202038 | F +39 071.7202037  
**info@farfisa.com | www.farfisa.com**

MADE IN ITALY



# HERO

NOBLE STRENGTH  
EVOLVED TECHNOLOGY

## HERO DDA *Key Features*



### **panel features**

- **hearing loop** "as standard"
- 316L **stainless steel** marine grade plate and keys
- 25mm square wide buttons
- **back lighted buttons**
- yellow bezel buttons
- braille etched buttons
- wide graphic display
- back lighted white light display
- back lighted white light status icon's
- voice prompt's and volume adjustment
- call assurance tones
- **wide angled camera 100°+**
- sensor lighting
- lexan protective glass
- accommodate up to 8 additional CCTV/cameras requires model VM2521
- 40x40 window allows for 3rd party integrated access control

### **monitor features**

- isolated **internal video monitors** "as standard"
- isolated **internal audio handsets** using (DV2421Q or DV2424Q)
- power supply protection on audio systems without DV2421Q or DV2424Q)
- hearing loop using monitor. Model ZH1252WEB
- user friendly buttons. Models AT9262 & ZH1252WE
- **door position indication by LED** – Model 2281Q
- privacy/muting feature

### **systems feature**

- supplied with supplier **VAS service** reducing faults and time spent on site
- Farfisa video **DUO BUS technology**
- best in class engineer programming module
- metal lockable containment available
- run 2 lines on single Cat5e
- scalable to 20'000 users - 900 entry panels
- optional to forward call to smart phones by gateway



**DUO**  
S Y S T E M



← scan the  
**QR code**  
for more  
information  
on **HERO DDA**

**ACCESS SECURITY SOLUTIONS (GROUP) LTD**  
UNIT 2 SELBY BARN, DUNCOTE, TOWCESTER, NN12 8AL

**T:** 01327 358888  
**E:** sales@access-securitysolutions.co.uk  
**W:** access-securitysolutions.co.uk

 **ACCESS  
SECURITY  
SOLUTIONS**